

according to Regulation (EC) No. 1907/2006 (REACH)

YELLOW TRACKING DUST

1.1 Product identifier

Trade name

YELLOW TRACKING DUST

Version (23.09.20)Issue date: 11.01.21 Page / 10

SECTION 1: Identification of the substance/mixture and of the

company/undertaking

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

--

Uses advised against manufacture of food products Feed

1.3 Details of the supplier of the safety data sheet

Tolbest Ltd

8 Aston Court, Kingsland Grange, Warrington, WA1 4SG

sales@tolbest.co.uk

1.4 Emergency telephone number

Emergency 5

Information Tolbest Ltd

8 Aston Court, Kingsland Grange

Warrington

Phone # Tel. 01925825335

sales@tolbest.co.uk

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

no hazard labelling required

2.2 Label elements

Labelling

Signal word --

Hazard statements

no hazard labelling required

Safety precautions



according to Regulation (EC) No. 1907/2006 (REACH)

YELLOW TRACKING DUST

Version 7 (23.09.20) Issue date: 11.01.21 Page 2 / 10

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P262 Do not get in eyes, on skin, or on clothing.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P302+P350 IF ON SKIN: Gently wash with plenty of soap and water.

2.3 Other hazards

__

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation

Polymer preparations and compounds optical brighteners binder

CAS-Number -EINECS / ELINCS / NLP -EU index number -Customs tariff number -REACH registration No. -RTECS-no. -Hazchem-Code ---

3.2 Mixtures

CI-Number

Substance 1

Polymer, Modified Cured Hybrid Polymer

| LD50 Oral (rat): > 2000 mg/kg bw: 95 % - 99,5 % Classification according to EC regulation 1272/2008 (CLP):

not required;

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Change contaminated clothing. No known symptoms to date.

In case of inhalation

Move victim to fresh air. Seek medical attention.

In case of skin contact

Thoroughly wash skin with soap and water.

After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue



according to Regulation (EC) No. 1907/2006 (REACH)

YELLOW TRACKING DUST

7 (23.09.20) Issue date: 11.01.21 Page / 10

rinsing. Subsequently consult an ophthalmologist.

After swallowing

Rinse mouth. Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Version

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media carbon dioxide water mist Water foam dry extinguishing powder

Extinguishing media which must not be used for safety reasons ---

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Do not allow water used to extinguish fire to enter drains, ground or waterways. Remove per upwind.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Do not breathe dust. Do not breathe vapours. Do not breathe gas. Do not breathe smoke. Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Absorb spillage to prevent material damage. Do not empty into drains. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

No information available.

Additional information

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Personal protection equipment: see section 8 Provide good ventilation and/or an exhaust system in the work area. Take precautionary measures against static discharges. Personal precautions, protective equipment and emergency procedures



according to Regulation (EC) No. 1907/2006 (REACH)

YELLOW TRACKING DUST

(23.09.20)11.01.21 4/10 Version Issue date: Page

Precautions against fire and explosion

Take precautionary measures against static discharges. Provide adequate ventilation. Personal protection equipment: see section 8 Wear anti-static footwear and clothing Avoid dust formation. Avoid formation of dust/air mixtures because of explosion hazard.

3 mJ < minimum ignition engery < 30 mJ

without induction

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Storage class

Further details

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

When aerosols and vapours form wear filter apparatus type A (= against vapours of organic substances).

Hand protection

nitrile rubber

Eye protection

Wear eye/face protection.

Body protection

Wear suitable protective clothing and shoes.

General protection and hygiene measures

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Powder Form light yellow Colour

Odour

min max

Initial boiling point and boiling range

Melting point/freezing point THERMOSET>--

150 °C



according to Regulation (EC) No. 1907/2006 (REACH)

YELLOW TRACKING DUST

ersion ersion	7(23.09.20)	Issı	ue date:	11.01.21	Page	/ 10
Flash point/flash point range Flammability						
Ignition temperature						
Auto-ignition temperature						
Explosion limits						
Refraction index						
Partition coefficient: n-octanol/water						
Danger of explosion	Danger of	Danger of dust explosion.				
Vapour pressure						
Density	1,4 g/ml					
РН	ca. 7					
Viscosity dynamic of						
Viscosity dynamic up to						
Viscosity kinematic of						
Viscosity kinematic up to						

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

Product is stable under normal storage conditions.

10.2 Chemical stability

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

Dust can form an explosive mixture with air.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

--

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity not established In case of inhalation



according to Regulation (EC) No. 1907/2006 (REACH)

YELLOW TRACKING DUST

Version (23.09.20) Issue date: 11.01.21 Page / 10

No data available

After swallowing

No information available.

In case of skin contact NOt

determined

After eye contact NOt

established

Practical experience

General remarks

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Discharge into the environment must be avoided.

Water Hazard Class nicht wassergefährdend (0 vor 1999)

(0 before 1999)

WGK catalog number

General information

12.2 Persistence and degradability

Further details

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information --

SECTION 13: Disposal considerations

13.1 Waste treatment methods



according to Regulation (EC) No. 1907/2006 (REACH)

YELLOW TRACKING DUST

Version	(23.09.20)	Issue date:	11.01.21	Page	/10
Product					
Waste key number					
					
Recommendation					
Send to a hazardous waste in	cinerator facility und	er observation of offic	ial regulations.		
Contaminated packaging Waste key number					
 Possemmondation					
Recommendation					
<u>Additional information</u>					
					
	SECTION	14: Transport	information		
14.1 UN number					
					
14.2 UN proper shipping name					
ADR, ADN					
, IMDG, IATA					
14.3 Transport hazard class(es)					
ADR, ADN					
IMDG					
IATA					
14.4 Packing group					
14.5 Environmental hazards					
Marine Pollutant - IMDG	N	ON			
		ARINE			
		DLLUTANT			
Marine Pollutant - ADN		-			
14.6 Special precautions for use	<u>r</u>				
Land transport (ADR/RID)					
Code: ADR/RID		_			
Kemmler-number					
Hazard label ADR					
Limited quantities		_			

Contaminated packaging: Instructions
Contaminated packaging: Special provisions



according to Regulation (EC) No. 1907/2006 (REACH)

YELLOW TRACKING DUST

Version	7 (23.09.20)	Issue date:	11.01.21	Page	8 / 10
Special provisions for packing together	_	<u>-</u>			
Portable tanks: Instructions	_	_			
Portable tanks: Special provisions	_	_			
Tank coding	-	-			
Tunnel restriction	-	-			
Remarks	-	-			
EQ	-	-			
Special provisions	-	-			
Inland waterway craft (ADN)					
Hazard label	-	-			
Limited quantities	_	_			
Transport permitted	_	_			
Equipment necessary	-	-			
Ventilation	-	-			
Remarks	-	-			
EQ	-	-			
Special provisions	-	-			
Sea transport (IMDG)					
EmS	_	_			
Special provisions	_	_			
Limited quantities	_	_			
Contaminated packaging: Instructions	_	_			
Contaminated packaging: Special provis	sions -	_			
IBC: Instructions	_	_			
IBC: Provisions	_	-			
Tank instructions IMO	-	-			
Tank instructions UN	-	-			
Tank instructions Special provisions	-	-			
Stowage and segregation	-	-			
Properties and observations	-	-			
Remarks	-	-			
EQ	-	-			
<u> Air transport (IATA-DGR)</u>					
Hazard	-	-			
Passenger	_	_			
Passenger LQ	_	-			
Cargo	_	-			
ERG	_	-			
Remarks	_	-			

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Special Provisioning

ΕQ



according to Regulation (EC) No. 1907/2006 (REACH)

9 / 10

YELLOW TRACKING DUST

Version	(23.09.20)	Issue date:	11.01.21	Page
	SECTION	15: Regulatory	information	
15 1 Safaty, baalth and anyirar	amontal regulations	/logiclation enocific	for the substans	o or mivturo
15.1 Safety, health and enviror	illentai regulations	/ legislation specific	, for the substant	<u>e or mixture</u>
National regulations				
<u>Europe</u>				
Contents of VOC [%]	0 %			
Contents of VOC				
[g/L]				
Further regulations, limitations an	id legal requirements			
<u>Germany</u>				
Storage class				
Water Hazard Class	nicht wassergefähr	dend (0 vor		
	1999) (0 before 19			
WGK catalog number				
Incident regulation				
Information on working limitation	IS			
Further regulations, limitations an	id legal requirements			
<u>Denmark</u>				
Further regulations, limitations an	nd legal requirements			
· u. c. c. regulations,autons u.	a regar requirements			
<u>Hungary</u>				
Further regulations, limitations an	d legal requirements			
<u>Great Britain</u>				
Further regulations, limitations an	d legal requirements			
<u>Switzerland</u>				
Contents of VOC [%]				
Further regulations, limitations an	nd logal requirements			
rurtner regulations, limitations an	id legal requirements			
<u>USA</u>				
Further regulations, limitations an	d legal requirements			
Federal Regulations				
→				



according to Regulation (EC) No. 1907/2006 (REACH)

YELLOW TRACKING DUST

Version 7 (23.09.20) Issue date: 11.01.21 Page 10 / 10

State Regulations --

_

<u>Japan</u>

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements ---

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP) H302 Harmful if

swallowed. not applicable no hazard labelling

required

Further information

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information